



Sheet Metal Press Parts: Terminals, Lugs & Components

- Male & Female (Snap-On) Terminals
- Male & Female Bullet Terminals
- Ring & Fork Terminals
- Insulating Sleeves, Caps & Lugs
- Springs, Components & Crimping tool



Serving OEM Industries and Wire Harness Manufacturer's


- Electrical & Electronic Industries
- Automobile Industries (2/3/4 wheelers)
- Air - condition & Refrigeration Industries
- Telecommunication & Signaling Industries
- Washing Machine & other Home Appliances



SUPER AUTO INDUSTRIES.

30/2, Rocky Indl. Estate., L. B. Patel Road, Goregaon (E), Mumbai 400 063 (India).


Tel : 9833003349 Email : superauto@gmail.com www.superautoind.com / www.superauto.co.in



SUPER AUTO INDUSTRIES.

30/2, Rocky Indl. Estate., L. B. Patel Road, Goregaon (E), Mumbai 400 063 (India).

Tel : 9833003349 Email : superauto@gmail.com www.superautoind.com / www.superauto.co.in




SUPER AUTO INDUSTRIES.

30/2, Rocky Indl. Estate., I. B. Patel Road, Goregaon (E), Mumbai 400 063 (India).



Tel : 9833003349 Email : superauto@gmail.com www.superautoind.com / www.superauto.co.in

RING/SPADE/FORK TERMINALS



TYPE	CAT NO	THICKNESS	MATERIAL	FINISH	W	E	L	D	WIRE SIZE
A	212	0.500	BRASS	TIN	6.5	13.5	17.3	3.1	2.5
A	229	0.500	BRASS	SELF	7.0	9.0	12.5	3.0	1.5
A	28	0.500	BRASS	SELF	8.0	16.0	20.3	4.7	2-3
A	102	0.500	BRASS	TIN	8.3	15.2	20.0	3.5	2.5
A	103	0.500	BRASS	TIN	8.3	15.2	20.0	4.1	2.5
A	104	0.500	BRASS	TIN	8.3	15.2	20.0	5.1	2.5
A	220	0.600	BRASS	SELF	8.5	13.5	17.5	3.5	2-3
A	116	0.500	BRASS	SELF	9.8	20.0	25.5	5.3	4-6
A	38	0.500	BRASS	SELF	10.0	14.0	19.2	6.0	1.5
A	90	0.500	BRASS	SELF	10.0	17.5	22.5	5.0	2-4
A	167	0.500	BRASS	TIN	12.0	18.0	24.1	6.2	2-3
A	221	0.800	BRASS	SELF	12.0	18.5	24.5	6.0	4.0
A	180	0.800	BRASS	SELF	12.1	18.0	24.5	6.2	2.5
A	223	0.600	BRASS	SELF	12.3	15.5	22.3	6.4	2-3
A	222	0.800	BRASS	SELF	16.0	21.0	29.0	8.2	4-6
A	171	0.600	BRASS	SELF	20.0	22.5	32.0	10.0	2.5-3
B	79	0.500	BRASS	SELF	7.0	5.0	15.0	3.5	1.5
B	170	0.500	BRASS	SELF	8.5	9.0	19.0	3.2	2.5
C	93	0.500	BRASS	SELF	10.0	19.0	23.5	5.0	2-3
C	216	0.600	BRASS	SELF	10.0	19.0	23.5	4.6	2-3
D	210	0.500	BRASS	SELF	10.0	18.0	23.5	7.8	2.5
E	161	0.500	BRASS	TIN	8.0	15.5	21.0	3.5	2.0

BUTTON CONTACT & CABLE JOINT / SPLICE



TYPE	CAT NO	THICKNESS	MATERIAL	FINISH	W	E	L	D	WIRE SIZE	REMARK
A	126	0.400	BRASS	SELF	4.8	1.5	7.8	-	2.5	
B	112	0.500	BRASS	SELF	5.5	5.5	6.0	-	2.0	




SUPER AUTO INDUSTRIES.

30/2, Rocky Indl. Estate., I. B. Patel Road, Goregaon (E), Mumbai 400 063 (India).


Tel : 98334003349 Email : superauto@gmail.com www.superautoind.com / www.superauto.co.in

FEMALE TERMINALS [SNAP-ON-TERMINAL]



TYPE	CAT NO	THICK	MTR	W	E	L	WIRE SIZE	TYPE	CAT NO	THICK	MTR	W	E	L	WIRE SIZE
A	75	0.300	BR	2.8	6.0	14.0	-	D	205	0.300	BR	4.0	5.0	13.5	1.5
A	239	0.375	BR	4.8	6.1	14.5	1.5	D	26	0.375	BR	4.8	6.4	15.4	2.5
A	240	0.375	BR	4.8	6.1	14.5	2.5	D	45	0.375	BR	4.8	7.0	15.3	2.5
A	5	0.400	BR	6.3	7.8	18.5	1.5	D	174	0.400	BR	4.8	5.3	15.0	4.0
A	76	0.400	BR	6.3	8.0	18.0	2.0	D	211	0.375	BR	4.8	6.5	15.9	2.5
A	86	0.400	PB	6.3	7.8	17.1	2.5	D	243	0.375	BR	4.8	6.2	16.0	2.0
A	182	0.400	PB	6.3	7.8	16.7	3.0	D	175	0.400	BR	5.0	6.2	16.5	4.0
A	215	0.400	PB	6.3	6.8	16.3	2.5	D	121	0.400	BR	6.0	8.0	20.2	2-3
B	1	0.500	PB	6.3	7.6	15.0	4-6	D	25	0.400	PB	6.3	7.7	19.4	2-3
B	84	0.500	PB	6.3	8.0	15.0	4.0	D	30	0.400	BR	6.3	8.0	19.5	2-3
C	208	0.400	BR	4.8	6.0	12.5	2.0	D	69	0.375	PB	6.3	7.5	19.2	-
C	24	0.500	PB	6.3	7.5	18.0	4-6	D	87	0.400	BR	6.3	8.0	19.0	2.5
C	183	0.400	PB	6.3	8.0	14.5	2.0	D	163	0.400	BR	6.3	7.8	20.5	2.5
C	185	0.400	BR	6.3	7.6	15.4	2.0	D	177	0.400	BR	6.3	6.8	21.5	6.0
C	188	0.400	BR	6.3	7.7	15.4	2.5	D	186	0.400	BR	6.3	8.0	18.3	2.5
C	189	0.500	PB	9.5	12.0	23.7	6.0	D	199	0.416	BR	6.3	8.0	20.0	1.5
D	32	0.300	BR	2.8	6.4	15.8	2.0	D	202	0.416	BR	6.3	7.7	19.5	2.5
D	114	0.300	BR	2.8	7.5	16.0	2.0	D	204	0.400	BR	6.3	7.5	19.3	2.5
D	190	0.300	BR	2.8	6.3	15.7	1.5	D	206	0.500	BR	6.3	7.7	20.0	2.5
D	197	0.300	BR	2.8	6.4	16.3	2.0	D	233	0.400	BR	6.3	7.9	17.6	2.5
D	209	0.300	BR	2.8	6.5	19.5	1.5	D	234	0.400	BR	6.3	7.6	20.1	4.0
D	232	0.300	BR	2.8	6.1	14.2	2.0	D	242	0.400	BR	6.3	7.6	21.3	2.5
D	77	0.400	BR	3.0	9.0	13.0	-	D	218	0.400	BR	8.2	9.5	22.7	3-4
D	152	0.400	BR	3.5	5.0	19.0	2.0	E	184	0.375	BR	6.3	8.1	20.5	2.5

SPRINGS & SLEEVES



TYPE	CAT NO	THICKNESS	MATERIAL	FINISH	W	E	L	D1	REMARK
A	301	0.500	PB	SELF	6.35	-	-	-	STRIP 180mm
B	401	-	LD	-	7.6	10.0	22.0	5.4	FOR 6.3 STRAIGHT FEMALE TERMINAL
B	404	-	LD	-	3.5	-	16	2	FOR 2.8 STRAIGHT FEMALE TERMINAL
C	402	-	PVC	-	9.4	11.2	16.7	4.0	FOR 6.3 ANGLE FEMALE TERMINAL
D	403	-	LD/CU	-	10	7	22	6.5	1.5 & 2.5sqmm CLOSED END





SUPER AUTO INDUSTRIES.

30/2, Rocky Indl. Estate., I. B. Patel Road, Goregaon (E), Mumbai 400 063 (India).

Tel : 9833003349 Email : superauto@gmail.com www.superautoind.com / www.superauto.co.in

MALE TERMINALS




[PLAIN, CRIMP, PCB TABS]



TYPE	CAT NO	THICK	MTR	W	E	L	TYPE	CAT NO	THICK	MTR	W	E	L	WIRE SIZE
A	67	0.800	BR	2.8	-	15.0	A	139	0.800	BR	6.3	-	15.5	-
A	68	0.800	BR	2.8	-	24.5	A	140	0.800	BR	6.3	-	15.0	-
A	71	0.500	CU	2.8	-	12.0	A	157	0.800	PB	6.3	-	22.1	-
A	74	0.500	BR	2.8	-	17.5	A	168	0.800	BR	6.3	15.5	20.0	-
A	95	0.600	BR	2.8	-	11.8	A	176	0.800	BR	6.3	8.0	21.0	-
A	217	0.500	BR	2.8	12.5	36.0	A	187	0.800	BR	6.3	9.0	38.0	-
A	72	0.500	CU	4.8	-	18.0	A	196	0.612	BR	6.3	9.0	19.2	-
A	86	0.800	BR	4.8	8.2	21.0	A	219	0.600	BR	6.3	15.0	22.5	-
A	94	0.500	PB	4.8	6.0	19.0	A	227	0.800	BR	6.3	-	26.0	-
A	119	0.800	BR	6.0	-	16.0	A	33	0.800	BR	6.5	8.0	17.3	-
A	120	0.800	BR	6.0	-	16.5	A	179	0.800	BR	8.0	13.3	28.0	-
A	192	0.800	BR	6.0	-	28.0	B	172	0.800	BR	3.3	8.0	12.0	-
A	193	0.800	BR	6.0	-	21.3	B	58	0.800	PB	6.3	7.5	16.5	-
A	15	0.800	PB	6.3	-	-	C	29	0.500	BR	2.8	11.5	21.0	2.0
A	34	0.800	CU	6.3	8.0	18.9	C	110	0.500	BR	2.8	12.1	22.0	2.0
A	35	0.800	CU	6.3	8.0	19.0	C	231	0.300	BR	4.8	16.0	28.0	2.5
A	37	0.800	BR	6.3	8.3	25.0	C	162	0.400	BR	6.0	14.2	24.8	2.5
A	52	0.800	CU	6.3	8.5	39.0	C	31	0.375	BR	6.3	14.0	25.0	2.5
A	55	0.800	BR	6.3	7.0	17.0	C	214	0.375	BR	6.3	17.3	30.0	2.5
A	56	0.800	BR	6.3	6.8	17.5	C	244	0.375	BR	6.3	15.7	27.7	2.5
A	57	0.800	BR	6.3	7.0	17.2	D	141	0.375	BR	2.8	15.0	28.5	2.5
A	78	0.400	BR	6.3	-	32.0	D	27	0.500	BR	4.8	6.4	17.1	2.5
A	80	0.800	BR	6.3	-	33.1	D	191	0.500	BR	4.8	6.5	17.0	2.0
A	92	0.800	BR	6.3	8.5	12.5	D	36	0.800	BR	6.3	8.1	20.1	2-3
A	113	0.800	MS	6.3	-	15.5	D	42	0.375	BR	6.3	9.0	21.0	2-3
A	117	0.800	BR	6.3	-	16.2	D	83	0.800	BR	6.3	8.0	19.0	1.5
A	127	0.800	BR	6.3	8.0	22.0								

LUGS

[Full range]



TYPE	CAT NO	THICKNESS	MATERIAL	FINISH	W	E	L	D	D1	WIRE SIZE	REMARK
A	501	0.800	COPPER	TIN	3.0	6.0	20.0	-	2.5	4-6	PIN S-3
B	502	0.800	COPPER	TIN	6.7	8.0	15.0	3.4	3.5	4-6	FORK S-7253
B	504	0.800	COPPER	TIN	6.7	8.0	15.2	3.5	2.0	2.5	FORK S-7251
B	504(l)	0.800	COPPER	TIN	6.7	8.0	15.2	3.5	2.0	2.5	504 INSULATED S-792B
C	503	0.800	COPPER	TIN	8.0	12.0	16.0	4.0	2.5	2.5	RING S-7009




SUPER AUTO INDUSTRIES.

30/2, Rocky Indl. Estate., I. B. Patel Road, Goregaon (E), Mumbai 400 063 (India).

Tel : 9833003349 Email : superauto@gmail.com www.superautoind.com / www.superauto.co.in

MALE & FEMALE BULLET TERMINALS



TYPE	CAT NO	THICK	MATERIAL	FINISH	W	E	L	WIRE SIZE
A	6	0.300	BRASS	TIN	2.5	11.5	19.5	2.0
A	156	0.254	PBRONZE	SELF	2.5	11.3	22.1	2.5
A	196	0.400	BRASS	SELF	3.0	19.7	28.6	2.0
A	3	0.400	BRASS	TIN	3.5	7.0	12.7	2-4
A	106	0.400	BRASS	TIN	3.5	8.0	16.8	2.5
A	4	0.400	BRASS	SELF	4.0	9.0	17.0	2-4
A	111	0.400	BRASS	TIN	4.0	8.8	17.0	2.0
A	109	0.500	BRASS	SELF	5.1	15.0	26.5	2.0
B	173	0.300	BRASS	TIN	2.0	12.5	20.0	4-6
B	228	0.380	PBRONZE	SILVER	2.0	11.8	24.8	-
B	155	0.400	BRASS	SELF	2.5	11.6	22.2	2.5
B	20	0.375	BRASS	TIN	3.5	7.5	17.5	2.0
B	105	0.375	BRASS	TIN	3.5	7.0	18.5	2.5
B	2	0.375	BRASS	SELF	4.0	2.7	17.6	2-4
B	101	0.400	BRASS	TIN	4.0	7.0	17.5	2.5
B	135	0.400	BRASS	TIN	4.0	9.5	23.2	4.0
B	237	0.375	BRASS	TIN	4.0	9.0	19.7	2.5
B	238	0.314	PBRONZE	TIN	4.0	8.5	25.0	4.0
B	18	0.300	BRASS	TIN	6.3	-	28.5	1.0
C	7	0.400	BRASS	SELF	3.5	7.0	21.0	2-4
C	125	0.300	BRASS	SELF	3.5	7.5	22.5	2.5
C	164	0.400	BRASS	SELF	4.0	8.7	21.0	2.5
D	165	0.375	BRASS	SELF	4.0	9.0	20.0	2-4
E	166	0.375	BRASS	SELF	4.0	9.0	20.0	2-4
F	169	0.400	BRASS	SELF	6.2	6.6	18.9	2.5
F	181	0.400	BRASS	SELF	6.5	7.0	18.1	2.5
G	230	0.400	BRASS	SELF	1.5	11.7	18.2	1.5

COMPONENTS, PLUG TERMINALS & AC / REF TERMINALS



COMPONENT NUMBERS									
23	12	46	64	118	132	143	156	195	
107	14	51	65	122	133	144	151	225	
108	17	53	66	123	134	145	153	226	
115	22	54	80	128	136	146	154	241	
124	39	61	89	129	137	147	158		
160	40	62	91	130	138	148	159		
178	41	63	100	131	142	149	194		

PLUG TERMINALS (PIN DIA 2.4mm)									
9	10	11	13	16	19	21	43	44	47
48	49	50	59	60	71	81	82	200	201
203	207								

AIR-CONDITION & REFRIGERATION				
1	25	28	401 (LD)	402 (PVC)



SUPER AUTO INDUSTRIES.

30/2, Rocky Indl. Estate., I. B. Patel Road, Goregaon (E), Mumbai 400 063 (India).

Tel : 9833003349 Email : superauto@gmail.com www.superautoind.com / www.superauto.co.in